



1150 Northmeadow Parkway
Suite 100
Roswell GA 30076
(770) 594-5998
www.atlcc.net

June 29, 2023

Transmitted via GEOS
Submittal ID: 767294

Mr. David DuBose, P.G.
Georgia Department of Natural Resources
Environmental Protection Division
Solid Waste Management Program
4244 International Parkway, Suite 104
Atlanta, Georgia 30354

RE: Periodic Monitoring Report – Second Quarter 2023
Forsyth County-Hightower Road Landfill
Solid Waste Permit Nos.: 058-006D(SL), 058-009D(SL), & 058-010D(SL)
Forsyth County

Dear Mr. DuBose:

Atlantic Coast Consulting, Inc. (ACC) is providing Georgia Department of Natural Resources, Environmental Protection Division (EPD) this Methane Monitoring Report for the closed Hightower Road Solid Waste Landfill. Perimeter monitoring was conducted June 26, 2023, with procedures in accordance with the facility's approved methane monitoring plan. Attached is the SWM-19 form and recent potentiometric map. The monitoring well methane concentrations were reported as being less than 5 percent methane by volume during this monitoring event and the methane concentration in the facility structure was less than 1.25 percent methane by volume.

A copy of this report will be placed in the Operating Record. Please contact me or Sam Buckles with Forsyth County if you have any questions regarding this report.

Thank you,

ATLANTIC COAST CONSULTING, INC.

Charles Adams, P.G.
Project Manager

Attachments

cc: Samuel Buckles with attachments via email.
EPD Mountain District, Cartersville cover letter only via Regular mail.
Operating Record via FedEx: 772591148736

SWM-19 FORM
AND
POTENTIOMETRIC MAP



Periodic Methane Monitoring Report

Second Quarter / 2023

Quarter or Month / Year

Facility Name:	Hightower Road Landfill	Date(s) of Monitoring:	6/26/2023
Facility Permit #'s:	058-006D(SL), 058-009D(SL)	Monitoring Conducted by:	E. Stamm
Permit #'s (cont):	058-010D(SL)	Equipment Field Calibrated by:	E. Stamm
County (Location):	Forsyth	Date of Field Calibration:	6/26/2023
Monitoring Equipment:	RKI Eagle	Manufacturer Calibration/Service Date:	3/8/2023

1. All reports must include a scaled and dated potentiometric surface map, (this applies only to those facilities required to perform groundwater monitoring) that shows ALL monitoring points, accompanied by a table listing the as-built depths and corresponding elevations of the bottoms of the methane monitoring wells and/or barhole punches. The potentiometric surface maps must be updated on an annual basis, and signed & sealed by a qualified groundwater scientist. Those facilities that do not conduct groundwater monitoring should, at a minimum, include a site map that shows ALL monitoring locations.

2. All reports must specify whether each monitoring location is a structure, permanent well, barhole punch, or vent (e.g. MM-1=scalehouse, MM-1=well, MM-1=BHP (barhole punch), MM-1=vent, or GWC-1=groundwater well).

3. Monitoring Results

a. Permanent Approved COMPLIANCE Monitoring Locations

<u>Monitoring Point Identification</u>	<u>Monitoring Results</u>	<u>Monitoring Point Identification</u>	<u>Monitoring Results</u>
MM-1R Well	% Methane By Volume: 0.0% % Oxygen: 19.0% Time Sampled: 15:29	MM-6 Well	% Methane By Volume: 0.0% % Oxygen: 18.9% Time Sampled: 14:08
MM-2 Well	% Methane By Volume: 0.0% % Oxygen: 7.1% Time Sampled: 13:40	MM-7 Well	% Methane By Volume: 0.0% % Oxygen: 20.9% Time Sampled: 15:10
MM-3 Well	% Methane By Volume: 0.0% % Oxygen: 17.6% Time Sampled: 15:45	MM-8 Well	% Methane By Volume: 0.0% % Oxygen: 18.3% Time Sampled: 14:44
MM-4 Well	% Methane By Volume: 0.0% % Oxygen: 16.5% Time Sampled: 15:54	MM-9 Well	% Methane By Volume: 0.0% % Oxygen: 20.9% Time Sampled: 14:36
MM-5 Well	% Methane By Volume: 0.0% % Oxygen: 16.7% Time Sampled: 13:30	MM-10 Well	% Methane By Volume: 0.0% % Oxygen: 16.3% Time Sampled: 14:58

a. Permanent Approved COMPLIANCE Monitoring Locations (continued)

<u>Monitoring Point Identification</u>	<u>Monitoring Results</u>		<u>Monitoring Point Identification</u>	<u>Monitoring Results</u>	
MM-11R BHP	% Methane By Volume:	0.0%	MM-14 Well	% Methane By Volume:	0.0%
	% Oxygen:	20.9%		% Oxygen:	20.9%
	Time Sampled:	15:18		Time Sampled:	13:50
MM-13 Well	% Methane By Volume:	0.0%	MM-15 Well	% Methane By Volume:	0.0%
	% Oxygen:	20.9%		% Oxygen:	20.9%
	Time Sampled:	13:46		Time Sampled:	13:57

b. Facility Structures (All on-site structures must be monitored, listed, and shown on map.)

<u>Facility Structure</u>	<u>Monitoring Results</u>		<u>Facility Structure</u>	<u>Monitoring Results</u>	
Tool Shed	% LEL:	0.0%	N/A	% LEL:	_____
	% Methane by Volume:	0.0%		% Methane by Volume:	_____
	% Oxygen:	20.5%		% Oxygen:	_____
	Time Sampled:	13:35		Time Sampled:	_____

c. Miscellaneous Monitoring Locations (vents, trenches not part of compliance monitoring)

<u>Monitoring Point Identification</u>	<u>Monitoring Results</u>		<u>Monitoring Point Identification</u>	<u>Monitoring Results</u>	
MV-11 Vent	% Methane By Volume:	0.0%	N/A	% Methane By Volume:	_____
	% Oxygen:	20.9%		% Oxygen:	_____
	Time Sampled:	14:27		Time Sampled:	_____

d. Adjacent Off-Site Structures (off-site structures at facilities with known release)

<u>Off-Site Structure</u>	<u>Monitoring Results</u>		<u>Off-Site Structure</u>	<u>Monitoring Results</u>	
N/A	% LEL:	_____	N/A	% LEL:	_____
	% Methane by Volume:	_____		% Methane by Volume:	_____
	% Oxygen:	_____		% Oxygen:	_____
	Time Sampled:	_____		Time Sampled:	_____

4. Climatic/Physical Conditions at Site

Samples must be collected under normal/average conditions of temperature, pressure, and climate for the season. Barhole punch sampling should not be performed during or immediately after rain events, or when soils are saturated or frozen. All sampling at compliance monitoring locations must be performed after 12:00 pm, and completed by 6:00 pm. Barometric information can be obtained from many locations. (i.e. http://weather.noaa.gov)

- a. Soil Conditions: Normal
- b. Weather Conditions: Mostly Sunny
- c. Temperature: 88 ° F
- d. Barometric Conditions: Rising Falling Steady Reading: 30.09
- e. Relative Humidity 10-90%? Yes No Range: 55-57%
- f. Condition/Access: Sampling points are properly identified, secured, and maintained?
Yes No

If no, please list deficiencies observed:

MV-11 was overgrown and difficult to access. MM-8 and MM-10 have buried or missing pads

g. If stressed vegetation due to the presence of methane gas is noted, describe the extent and location in the space provided below.

Vegetation is not stressed.

5. Description of Sampling Techniques: Provide a clear and concise description for each type of sampling (well, barhole punch, structure, etc.) performed during the monitoring event. Wells are NOT to be vented; peak readings should be reported. Any exceptions should be noted here.

Wells were not vented prior to taking the sample and are equipped with quick-connect sample ports. The instrument was allowed to pump the sample for 3 minutes until the oxygen reading stabilized and the peak reading was recorded.

6. Additional Comments

Event attended by Samuel B. Buckles, Environmental Scientist Manager, Forsyth County Recycling & Solid Waste Department

CERTIFICATION

I CERTIFY that all required information on this form is complete and accurate, and

I further CERTIFY that methane sampling was conducted by myself or my authorized representative in accordance with all applicable rules and current EPD guidance. Concentrations of methane detected during this sampling/monitoring event ___ do / X do not exceed 25 percent of the lower explosive limit (LEL) for methane in facility structures (excluding the gas recovery system components), and gas concentrations ___ do / X do not exceed the LEL for methane at the approved compliance monitoring locations.

(IF THIS STATEMENT IS NOT SIGNED OR THE FORM IS ALTERED, THE DIVISION WILL NOT ACCEPT THE RESULTS FROM THE SUBJECT FACILITY.)



(Signature)

Professional Geologist # 1632

(Title)

29-Jun-2023


(Date)

Charles Adams, 1150 Northmeadow Pkwy., Suite 100, Roswell, GA 30076, (770) 594-5998

(Typed Name, Address, and Telephone Number)



ATLANTIC COAST CONSULTING, INC.
770-594-5998
www.atlcc.net
Roswell, GA
Savannah, GA
Knoxville, TN



SCALE (IN FEET)

LEGEND

EXISTING	DESCRIPTION
850	PROMINENT CONTOUR
---	INTERMEDIATE CONTOUR
---	PROPERTY BOUNDARY
---	APPROXIMATE LIMIT OF WASTE
---	SURFACE WATER/POND
---	GROUNDWATER CONTOUR
---	GROUNDWATER FLOW DIRECTION
● GWA-1 1002.23	GROUNDWATER MONITORING WELL ELEVATION IN FEET MEAN SEA LEVEL
▲ SWA-1	SURFACE WATER MONITORING POINT
□ MM-1	METHANE MONITORING POINT
□ MV-1	METHANE VENT
---	METHANE VENT TRENCH
○ PH1-MV04	EXTRACTION POINT WITH ACTIVE FLARE


NOTES

1. SURVEY IS PROVIDED BY APPALACHIAN SURVEYING COMPANY IN CUMMING, GEORGIA DATED JANUARY AND APRIL 1998. CONTROL POINT COORDINATES WERE TAKEN FROM THESE SURVEYS.
2. WELL AND PROBE LOCATIONS ARE APPROXIMATE AND BASED ON W.L. JORDEN & CO. DRAWINGS DATED MARCH 3, 1996.
3. LOCATIONS OF MM-1R, MM-13, MM-14, AND MM-15 ARE APPROXIMATE.
4. LOCATIONS OF AMW-2 AND AMW-3 ARE APPROXIMATE.
5. *GWA-1A, *GWC-4A, *GWC-23A, *AMW-2 AND *AMW-9 ARE NOT USED FOR POTENTIOMETRIC CONTOURS.
6. POTENTIOMETRIC CONTOUR INTERVAL IS 10 FEET.
7. DEPTHS TO GROUNDWATER MEASURED BY ATLANTIC COAST CONSULTING, INC. DECEMBER 12, 2022.

REVISIONS

0. INITIAL ISSUE	02/28/2023
------------------	------------

PROJECT



FORSYTH COUNTY
HIGHTOWER ROAD LANDFILL

POTENTIOMETRIC
SURFACE MAP
DECEMBER 2022

Drawn by: AS	Checked by: AR	QC by: CH
-----------------	-------------------	--------------


PROJECT NUMBER: G020-113	FIGURE: 1
-----------------------------	--------------

SUMMARY OF GROUNDWATER ELEVATION DATA FORSYTH COUNTY - HIGHTOWER ROAD MSWLF DECEMBER 2022 SAMPLING EVENT				
MONITORING WELL ID	TOTAL WELL DEPTH (FT BTOC)	TOC ELEVATION (FT MSL)	DEPTH TO WATER LEVEL (FT BTOC)	GROUNDWATER ELEVATION (FT MSL)
PHASE I GROUNDWATER ELEVATION DATA				
PH1-GWA-1	48.66	1176.37	44.45	1131.92
PH1-GWA-1A	108.00	1176.35	44.69	1131.66
PH1-GWA-2	53.60	1183.40	39.71	1143.69
PH1-GWA-3A	250.00	1187.16	39.50	1147.66
PH1-GWA-4	57.00	1191.14	40.09	1151.05
PH1-GWB-1	53.80	1179.10	43.80	1135.30
PH1-GWB-2	42.22	1155.04	34.40	1120.64
PH1-GWC-1	23.79	1074.66	8.83	1065.83
PH1-GWC-2	127.61	1103.93	23.67	1080.26
PH1-GWC-3	23.42	1096.96	12.04	1084.92
PH1-GWC-3A	55.42	1096.28	11.18	1085.10
PH1-GWC-4	33.71	1124.26	32.90	1091.36
GWC-1	38.80	1102.25	29.10	1073.15
AMW-8	50.40	1186.23	42.81	1143.42
AMW-9*	41.69	1162.64	40.77	1121.87
AMW-10	56.81	1180.73	52.53	1128.20
PHASE II, III, AND IV GROUNDWATER ELEVATION DATA				
GWA-1	62.85	1187.70	57.66	1130.04
GWA-1A*	141.00	1187.49	57.14	1130.35
GWA-2	52.18	1137.30	42.61	1094.69
GWA-3	48.86	1154.53	43.70	1110.83
GWC-2	55.61	1103.64	47.02	1056.62
GWC-3	39.71	1092.39	36.63	1055.76
GWC-3A	68.95	1094.67	35.05	1059.62
GWC-4	49.81	1132.82	45.35	1087.47
GWC-4A*	89.23	1132.39	41.84	1090.55
GWC-5	49.91	1084.55	45.90	1038.65
GWC-6	34.52	1064.01	25.53	1038.48
GWC-7	54.21	1093.44	43.87	1049.57
GWC-8	27.53	1095.63	23.80	1071.83
GWC-8A	46.71	1095.44	23.16	1072.28
GWC-8R	94.67	1098.40	26.16	1072.24
GWC-9	60.50	1093.58	50.82	1042.76
GWC-10	37.51	1068.56	27.95	1040.61
GWC-10A	54.30	1066.45	27.78	1038.67
GWC-11	46.80	1054.08	36.21	1017.87
GWC-12	40.06	1038.06	32.27	1005.79
GWC-12A	49.44	1038.09	33.16	1004.93
GWC-13	44.95	1090.82	35.26	1055.56
GWC-14	28.37	1089.49	25.64	1063.85
GWC-14A	64.75	1089.32	25.15	1064.17
GWC-14R	93.61	1078.60	15.28	1063.32
GWC-15	62.84	1125.68	60.74	1064.94
GWC-16A	51.05	1136.49	DRY	DRY
GWC-17	21.59	1107.78	14.12	1093.66
GWC-18	52.70	1094.87	45.09	1049.78
GWC-19R	39.87	1105.79	28.96	1076.83
GWC-22	35.05	1079.01	22.70	1056.31
GWC-23	32.22	1079.06	18.63	1060.43
GWC-23A*	61.67	1079.10	31.69	1047.41
GWC-24	44.09	1102.32	37.95	1064.37
AMW-1	180.70	1130.04	63.93	1066.11
AMW-2*	150.00	1101.96	43.85	1058.11
AMW-3	31.30	1041.09	9.38	1031.71
AMW-4	18.80	1040.09	4.11	1035.98
AMW-5	23.06	1049.32	7.54	1041.78
AMW-11R	58.10	1053.63	8.97	1044.66
AMW-12	19.56	1056.85	8.49	1048.36
AMW-12R	46.43	1056.34	10.46	1045.88
AMW-13	36.18	1093.09	33.57	1059.52
AMW-14	21.70	1052.73	9.57	1043.16

SUMMARY OF METHANE WELL DETAILS FORSYTH COUNTY - HIGHTOWER ROAD MSWLF		
WELL ID	TOTAL DEPTH (FT BGS)	SCREEN INTERVAL (FT BGS)
MM-1R	30.0	10.0 - 30.0
MM-2	20.0	10.0 - 20.0
MM-3	20.0	10.0 - 20.0
MM-4	20.0	10.0 - 20.0
MM-5	20.0	10.0 - 20.0
MM-6	20.0	10.0 - 20.0
MM-7	20.0	10.0 - 20.0
MM-8	10.0	5.0 - 10.0
MM-9	20.0	10.0 - 20.0
MM-10	35.0	25.0 - 35.0
MV-11	20.0	10.0 - 20.0
MM-11R	3.0	NA
MM-13	31.5	20.4 - 30.4
MM-14	35.8	24.7 - 34.7
MM-15	41.5	30.4 - 40.4

NOTES:
FT BGS = FEET BELOW GROUND SURFACE
NA = NOT APPLICABLE

NOTES:
DEPTHS TO WATER MEASURED DECEMBER 12, 2022.
FT BTOC = FEET BELOW TOP OF CASING
FT MSL = FEET MEAN SEA LEVEL
TOC = TOP OF CASING



P:\Governmental\G020-Forsyth County\113-Environmental Monitoring Services\2-Off Sampling and Reporting\2022\2022 GWC\Forsyth Co 2nd 2022 PS Map.dwg 2023-03-01 GJRA, HDGDES